



# Agricultural Trailers



[www.pattersononequipment.ca](http://www.pattersononequipment.ca)



## Dump Trailers

LS20 / LS16



### Standard Features

- LED lights
- Adjustable Tongue / With Spring Suspension
- Movable Axle – 3 Position
- 650/50 R22.5 BKT Tires
- Hydraulic brakes
- Tailgate Indicator (LS20)
- “Hidden” Hydraulic Tailgate – Drops into the floor for long material
- Galvanized headboard and mud guards

**LS20****LS16**

Cubic Capacity	13 cubic yards	10.5 cubic yards
Loading Capacity	20 Ton	16 Ton
Box Width	102"	98"
Overall Height	88.3"	78.5"
Side Thickness	¼"	3/16"
Floor Thickness	5/16"	¼"
Running Gear	Rocker Beams	Rocker Beams
Tires	650/50R22.5	550/45R22.5
Drawbar Suspension	Yes	Yes
Brakes	Hydraulic	Hydraulic
Tipping Cylinders	2 x 12 ton	2 x 10 ton
Tipping Angle	71°	71°
<b>Optional</b>		
Spring Axle Suspension	Yes	Yes
Air/Hydraulic brakes	Yes	Yes
Load sensing valve	Yes	Yes
AR 400 Steel Body	Yes	Yes





## Agricultural Float



### Standard Features:

- Hydraulic Brakes
- Multi-leaf suspension
- 8/12 x 235/75 17.5 rated tires
- Sprung drawbar
- Adjustable towing eye
- Led lights
- Toolbox
- Timber floor, chequer plate beavertail
- Hydraulic ramps



## 30 Ton

## 20 Ton

Number of Axles	3	2
Net Weight	30,000 kg	20,000 kg
Gross Weight	34,500 kg	23,500 kg
Bed Length	20 ‘	17 ‘
Beaver Tail Length	5 ‘	5 ‘
Width	8.5 ‘	8.5 ‘
Drawbar Suspension	Yes	Yes
Brakes	Hydraulic	Hydraulic
Hydraulic Ramps	Yes	Yes
<b>Optional:</b>		
Bed Length	Yes	Yes
Width	Yes	Yes
Out Riggers	Yes	Yes
Rear Steel Axle	Yes	No
Hydraulic Jack	Yes	Yes
Air/Hydraulic Brakes	Yes	Yes
Load Sensing Valve	Yes	Yes
Lift Axle	Yes	No
Paint Colour	Yes	Yes





## Agricultural Trailers

Patterson Equipment  
903 Concession 12  
Waterford  
Ontario  
NOE 1Y0

**Email:**

[pattersonequipment@hotmail.com](mailto:pattersonequipment@hotmail.com)

**Phone:**

David - 519-718-5099,  
Stuart - 519-718-9404,  
Dave - 519-440-2444



*Ask us about custom building a trailer to suit your needs*

**[www.pattersonequipment.ca](http://www.pattersonequipment.ca)**